X – ZERO X ltd	SAFETY DATA SI	HEET	l	1 of 6
Prepared to OSHA, ANSI, NOHSC, WHMIS, 100	02/58 & 1272/2008/EC Standards	SDS Revision Date 01/01/2020	Rev	vision: 2.1

## 1. PRODUCT INDENTIFICATION

1.1 Product Name:	UV Nail Gel Color
1.2 Chemical Name:	POLYURETHANE (METH)ACRYLATE PREPOLYMER RESIN BLEND
1.3 Synonyms:	NA
1.4 Trade Names:	Gel Color WHITE
1.5 Product Use:	PROFESSIONAL USE ONLY
1.6 Manufacturer's Name:	XZERO X LTD
1.7 Manufacturer's Adress:	15, P. Enchev Str, 2 – Varna 9000 - Bulgaria - EU
<b>1.8</b> Emergency Phone:	CARECHEM: + 44 (0) 1235 239 670

# 2. HAZARD INDENTIFICATION

**2.1** Hazard Identification: This product is classi ed as a HAZARDOUS SUBSTANCE and as a DANGEROUS GOOD according to the classification criteria of NOHSC: 1009 (2004) and ADG Code (Australia). WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. CAUSESEYE IRRITATION. Hazard Statements (H):H317 - May cause an allergic skin reaction. H320 - Causes eye irritation. Precautionary Statements (P): P261 - Avoid breathing fumes/gas/vapors/spray. P272 - Contaiminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves. P302 + P352 - IF ON SKIN - wash with soap and warm water. P305 + P351 + P338 - IF IN EYES - Rince continually with water for several minutes. Remove contact lenses if present and easy to do, continue rinsing. P333 + P313 - If skin reaction or a rash occurs, get medical attention. P337 + P313 - iIf eye irritation persists, P321 - for speci c rst aid treatment (see section 4 of this Safety Data Sheet). P363 - Wash contaminated clothing before resuse. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).

**2.2** Routes of Entry: Inhalation: YES Absorption: YES Ingestion: YES

- 2.3 E ects of Exposure:INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervouse system depression.EYES & SKIN: The liquid may produce eye discomfort and is capable of causing temporary impairment of vision and/or transient eye in amation, ulceration. The vapor is discomforting to the eye. Splashes may cause severe eye irritation, possible corneal burns and eye damage. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to the skin, especially after prolonged contact. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated expsoure.INHALATION: Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion and di culty breathing. Inhalation of concentrated vapors can cause central nervous system depression (e.g., drowsiness, headaches, nausea). Odor may give some warning of exposure but odor fatigue may occur.
- **2.4** Symptoms of Overexposure:Symptoms of skin overexposure may include redness, itching and irritation of a ected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, deratitis) upon prolonged or repeated exposure.
- **2.6** Chronic Health E ects: The material may cause an allergic reaction for some sensitive individuals.

X – ZERO X ltd	SAFETY DATA SH	EET	1 2 of 6
Prepared to OSHA, ANSI, NOHSC, WHMIS	, 1002/58 & 1272/2008/EC Standards	SDS Revision Date 01/01/2020	Revision: 2.1

## 3. COMPOSITION & INGREDIENT INFORMATION

CHEMICAL NAME(S)	CAS#	BY %	EINECS #	EXPOSURE LIMITS IN AIR (MG/M3)			(MG/M3)	
				ACGIH	NOHSC		OSHA	
				ppm		ppm		ppm
				TLV – STEL -	ES-TWA	A / ES-STEL	_ / ES-PEAK -	PEL – STEL - IDLH
Diurethane Dimethacrylate	72869-86-4	0 – 70	276-957-5	NA - NA	NA	NF	NF	NA - NA - NE
Urethane Aliphatic Acrylate	NA	0 – 30	NA	NA - NA	NA	NF	NF	NA - NA - NE
Ossido di Diphenyl	75980-60-8	0 – 5	278-355-8	NA - NA	NF	NF	NF	NA - NA - NA
(2,4,6.Trimethylbenzoyl)phosphi	ne							
oxide								
Tripropyleneglycol Diacrylate	42978-66-5	0 – 5	256-032-2	NA - NA	NF	NF	NF	NA - NA - NA
Ethyl Methacrylate	97-63-2	0 – 4	202-597-5	NA - NA	NF	NF	NF	NA – NA - NA
Silica	67762-90	0 – 3	231-545-4	(10) - NA	NF	NF	NF	NA – NA - NA
Titanium Dioxide CI 77891	13463-67-7	0 – 2	236-675-5	NA - NA	NA	NF	NF	NA - NA - NE

## 4. FIRST AID MEASURES

#### **4.1** First Aid:

INGESTION: If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to o er water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.

SKIN & EYES If product gets in the eyes, ush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. Seek immediate medical attention. If problem persists, seek immediate medical attention. If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water followed by a thorough washing of the a ected area with plenty of soak and waster. Remove all contaminated clothing including footwear and wash thoroughly before reuse. If irritation, redness or swelling persists, consult a physician immediately.

INHALATION: Remove victim to fresh air at once. If breathing stops, perform arti cial respiration. Seek immediate medical attention.

## **4.2** Medical Conditions Aggravated by Exposure:

HEALTH 1

FLAMMABILITY 0

PHYSICAL HAZARDS 0

PROTECTIVE EQUIPMENT B

EYES SKIN

X – ZERO X ltd | SAFETY DATA SHEET | 3 of 6

Prepared to OSHA, ANSI, NOHSC, WHMIS, 1002/58 & 1272/2008/EC Standards | SDS Revision Date 01/01/2020 | Revision : 2.1

## 5. FIREFIGHTING MEASURES

**5.1** Flashpoint & Method: > 100 °C (> 212 °F)

**5.2** Autoignition Temperature: NA

**5.3** Flammability Limits: Lower Explosive Limit (LEL): **NA** 

- **5.4** Fire & Explosion Hazards: This product is slightly ammable. When involved in a fire, this product may ignite and decompose to form toxic gases (e.g., CO, CO2 and Nox)
- **5.5** Extinguishing Methods: Water, Foam, CO2, Dry Chemical
- **5.6** Fire Fighting Procedures: First responders should wear eye protection. Structural reghters must wear full protective equipment and MSHA/NIOSH approved, self-contained breathing apparatus. If possible, prevent runo water from entering storm drains, bodies of water or other environmentally sensitive reas. If necessary, rinse contaminated equipment with soapy water before returning to service.

### 6. ACCIDENTAL RELEASE MEASURES

**6.1** Spills:Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., , 1 gallon [3.785 liters]) wear appropriate personal protective equipment (e.g., goggles & gloves). Maximize ventilation (open doors and windows). Expose spilled material to UV light source for 2-5 minutes. Lift cured material from substrate and repeat until very little residue remains. Remove remaining spilled material with absorbent material and place into appropriate closed container(s). Dispose of properly in accordance with local, state and federal regulations. Wash all a ected areas and outside of container with warm, soapy water. Remove any contaminated clothing and wash before reuse. For large spills (e.g., > 1 gallon [3.785 liters]) deny entery to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Expose spilled material to UV light source for 2-5 minutes. Lift cured material from substrate and repeat until very little residue remains. Remove remaining spilled material with absorbent material and place into appropriate closed container(s). Dispose of properly in accordance with local, state and federal regulations. Wash all a ected areas and outside of container with warm, soapy water. Remove any contaminated clothing and wash before reuse. Keep spills and cleaning runo s out of municipal sewers and open bodies of water.

### 7. HANDLING AND STORAGE INFORMATION

- **7.1** Work & Hygiene Practices: Avoid prolonged contact with this material. Avoid breathing the vapors generated by this product. Use in a well ventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap andwater after using this product. If necessary, use a moisturizer after washing. Do not eat, drink or smoke while handling this product.
- **7.2** Storage & Handling:Use and store in a cool, dry, well ventilated location. Keep away from excessive heat. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devises. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. As a precaution against exposure to the eyes, nose, throat and face, this product should not be stored higher than waist level. KEEP AWAY FROM CHILDREN AT ALL TIMES!
- **7.3** Special Precautions:Do not store where temperatures can exceed 50 °C (122 °F).

X – ZERO X ltd | SAFETY DATA SHEET | 4 of 6

Prepared to OSHA, ANSI, NOHSC, WHMIS, 1002/58 & 1272/2008/EC Standards

SDS Revision Date 01/01/2020

Revision: 2.1

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

- **8.1** Ventilation & Engineering Controls:Use with adequate ventilation (e.g., local exhaust ventilation, fans). Ensure appropriate decontainination equipment is available (e.g., sink, safety shower, eye wash station).
- 8.2 Respiratory Protection: No special respiratory protections is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR § 1910.134, application U.S. State regulations or the Candaian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC Member States or Australia.
- **8.3** Eye Protection: Wear protective eyewear (e.g., safety glasses with side shields) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.
- **8.4** Hand Protection: None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., >1 gallon [3.785 liters]), wear nitrile or imprevious gloves.
- **8.5** Body Protection: No apron required when handling small quantities. When handling large quantities (e.g., . 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product wash any exposed areas thoroughly with soap and water.

## 9. PHYSICAL & CHEMICAL PROPERTIES

**9.1** Density: 1.1

**9.2** Boiling Point: NA

**9.3** Melting Point: ND

**9.4** Evaporation Rate: NA

**9.5** Vapor Pressure: ND

**9.6** Molecular Weight: NE

**9.7** Appearance & Color: CLEAR OR PIGMENTED

**9.8** Odor Threashold: NE

**9.9** Solubility: NOT SOLUBLE

**9.1** pH: NA

**9.11** Viscosity: APPROXIMATELY 2000>20000

**9.12** Other Information: NA

## 10. STABILITY & REACTIVITY

- **10.1** Stability: Relatively stable under ambient conditions when stored properly.
- **10.2** Hazardous Decomposition Products: If exposed to extremely high temperatures, products of thermal decomposition may include irritating vapors and toxic gases (e.g., oxides of carbon and nitrogen).
- **10.3** Hazardous Polymerization: Will not occur.
- **10.4** Conditions to Avoid: Exposure or contact to extreme temperatures, incompatable chemicals, strong light sources, sparks and ame.
- **10.5** Incompatable Substances: Strong oxidizers, peroxides, strong acids or alkalis.

X - ZERO X ltd | SAFETY DATA SHEET 5 of 6 Revision: 2.1

Prepared to OSHA, ANSI, NOHSC, WHMIS, 1002/58 & 1272/2008/EC Standards

SDS Revision Date 01/01/2020

### 11. TOXICOLOGICAL INFORMATION

- 11.1 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product which are found in scienti c literature. These data have not been presented in this document.
- **11.2** Acute Toxicity: See Section 2.5
- **11.3** Chronic Toxicity: See Section 2.6
- 11.4 Suspected Carcinogen: The ingredients of this product are not listed as carcinogens by the National Toxicology Program and have not been evaluated by the Internail Agency for Research on Cancer or the American Conference of Government Industrial Hygenists.
- 11.5 Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic e ects in humans. Embryotoxicity: This product is not reported to produce embryotoxic e ects in humans. Teratogenicity: This products is not reported to cause teratogenic e ects in humans.
- **11.6** Irritancy of Product: See Section 2.3
- **11.7** Biological Exposure Indicies: NE
- **11.8** Physician Recommendations: Treat syptomatically

## 12. ECOLOGICAL INFORMATION

- **12.1** Environmental Stability: This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds.
- **12.2** E ects on Plants & Animals:There is no speci c data availble for this product on plant life.
- **12.3** E ects on Aquatic Life: There is no speci c data availble for this product on aquatic life.

## 13. DISPOSAL CONSIDERATIONS

- **13.1** Waste Disposal:Dispose inaccordance with local, state and Federal waste laws.
- 13.2 Special Considerations: This material becomes an inert plastic upon prolonged exposure to sources of UV light and sunlight. Disposal of inert plastics is safer for the environment and is more easily handled for disposal according to local, state and Federal regulations.

## 14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADR and the CTDGR.

14.1 - 49 CFR (GRD) : **NOT REGULATED** 14.6 – MEXICO (SCT) : **NOT REGULATED** 

14.2 - IATA (AIR): 14.7 – ADGR (AUS): **NOT REGULATED** NOT REGULATED

14.3 - IMDG (OCN): **NOT REGULATED** 

14.4 - TDGR (CANADIAN GND): **NOT REGULATED** 

14.5 - ADR/RID (EU): **NOT REGULATED** 

X - ZERO X ltd | SAFETY DATA SHEET 6 of 6 Revision: 2.1

Prepared to OSHA, ANSI, NOHSC, WHMIS, 1002/58 & 1272/2008/EC Standards

SDS Revision Date 01/01/2020

### 15. REGULATORY INFORMATION

- **15.1** SARA Reporting: NA
- **15.2** SARA Threshold Planning Quantity: NA
- **15.3** TSCA Inventory Status: All components of this product are listed in the TSCA Inventory or are exempt
- **15.4** CERCLA Reportable Quantity (RQ): NA
- 15.5 Other Federal Requirements: This products complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).
- 15.6 Other Canadian Regulations: This product has been classi ed according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are on the Priorities Substances List.
- **15.7** State Regulatory Information: NA
- 15.8 67/548/EEC (European Union), Australian NOHSC:2011 (2003), and GHS Requirements: The primary cononents of this product are not listed in Annex 1 of EU Directive 67/548/EEC. Irritant (Xi).Risk Phrases (R): 36/37/38 - Irritating to eyes, respiratory system and skin. Safety Phrases (S): 2-23-29 - Keep out of reach of Children. Do not breath gas, fumes, vapor or spray. Do not empty into drains.

### 16. OTHER INFORMATION

## 16.1

Other Information: WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES EYE IRRITATION. Avoid breathing fume, gas, mist, vapors, spray. Wear potective gloves and eye/face protection. IF ON SKIN -Wash with soap and water. IF IN EYES -Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If skin irritation or a rash occurs - get medical advice/attention. Do not take internally. Keep away from heat and open ame. KEEP OUT OF THE REACH OF CHILDREN

16.2 Disclaimer: This Safety Data Sheet (SDS) is offered persuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200.

Other governmen regulations must be reviewed for applicability to this product. To the best of X Zero X ltd knowledge, the information contained herein is reliable and accurate as of the date it was prepared; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the speci c product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to sonsult the latest edition.

**16.3** Prepared for: X ZEROX LTD

Varna,15 P.Enchev Str., .2 -X ДЗЕРО X ЕООД Варна,ул.П.Енчев 15,ет.2,ап.2 BULGARIA -info@xzerox.eu www.xzerox.eu

